



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/436,281	11/08/1999	CHARLES ERIC HUNTER	IVOO-0098	6394
23377	7590	10/09/2007	EXAMINER	
WOODCOCK WASHBURN LLP CIRA CENTRE, 12TH FLOOR 2929 ARCH STREET PHILADELPHIA, PA 19104-2891			ART UNIT	PAPER NUMBER

DATE MAILED: 10/09/2007

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE  
U.S. Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
09436281	11/8/99	HUNTER, CHARLES ERIC	IVOO-0098

EXAMINER

Andrew Y. Koenig

ART UNIT	PAPER
2623	20071001

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

Commissioner for Patents

1. The reply filed on 02 May 2006 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

The claims do not correspond to the applicant's remarks. The listing of the claims has claims 15-24 pending (unamended from the previous actions), which does not correlate with the remarks indicating that claim 15 includes limitations of cancelled claims 19 (see page 6 of remarks) and claims 19, 23, and 24 are cancelled. Due to the discrepancy, this amendment is not fully responsive.

See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Andrew Y Koenig  
Primary Examiner  
Art Unit: 2623